



# POWERLUBER

Battery grease gun  
by SKF / Lincoln

**ss.LUBAC**<sup>®</sup>  
engineered lubrication

# FEATURES

## Details and functions

The PowerLuber battery grease gun from SKF and Lincoln is a powerful and reliable tool for professional use in various industries such as heavy industry or agriculture. It offers a high delivery rate of up to 690 bar and is equipped with a high-torque head that ensures precise lubrication.

The battery grease gun is specially designed to drastically simplify the maintenance work of technicians, maintainers or farmers. Thanks to the many great features of the battery grease gun, even the lubrication of hard to reach lubrication points is now a breeze.

**FILLING NIPPLE**  
For clean and quick filling of the grease cartridge.

**ANTI-SLIP 3-POINT SUPPORT**  
The support keeps the grease gun in an upright position for easy handling and helps keep the tool clean.

**HOSE/CLUTCH HOLDER AND CYLINDER GUIDE**  
Allows safe hose storage and easy insertion of the lubricant reservoir through the tube guide.



# PREPARED FOR ALL MAINTENANCE IN A RELAXED MOOD

## VENT VALVE

To ensure easy suction, the air release valve removes trapped air.

## LED LIGHT

For optimum illumination of the working area.

**DIRECT CURRENT MOTOR**  
with high torque - maximum 690 bar (10,000 psi) pressure output.

## MULTIFUNCTIONAL LCD

The precise flow meter detects loss of pre-charge, preventing false readings. Displays warning of connection point blockage, battery level, grease output, speed setting (grease volume) and unit of measurement (grams and ounces).

## GREASE OUTPUT SELECTOR SWITCH

Two speed adjustments of the grease dispensing.

## TECHNICAL DATA:

Filling capacity:	500 cm <sup>3</sup> , 400 g grease cartridge
Max. operating pressure:	690 bar (10,000 psi)
Application temperature:	-18° to 50°C
Hose length:	91cm
Suitable for:	grease up to NLGI 2
Delivery rate	approx. 103 cm <sup>3</sup> /min to 162 cm <sup>3</sup> /min
Battery charging time:	1.5 hours

# SCOPE OF DELIVERY


This is what you will get

## CARRYING CASE

To avoid having to walk twice, we have everything for you in a handy carrying case. Total weight: approx. 5.56kg

## 2.5 AH LITHIUM-ION BATTERY

Efficient and powerful. The set is also available with a second battery or can be upgraded with a 4.0 Ah version!



## AC CHARGER FOR LITHIUM-ION BATTERY

The battery is ready for use again in only 1.5h with the quick charger. 220-240V / 50-60Hz


## LINCOLN POWERLUBER

Here lies the heart, the super powerful battery grease gun Powerluber 20V\* from Lincoln. A real relief in everyday work!

## FLEX HOSE

91cm long, with double bend protection coil and coupling.

\* Maximum starting voltage without workload



# ORDER INFORMATION

## Supplies and spare parts



### COMPLETE SET

Model description	Article code
Powerluber in carrying case with 1x 2,5 Ah battery and charger 220-240V / 50-60Hz	F5P3A8



### LI-ION BATTERY

Model description	Article code
Battery 20V Li-Ion for Powerluber (2,5 Ah)	G5P3A7
Battery 20V Li-Ion for Powerluber (4,0 Ah)	R6W4A5



### MOBILE CHARGER FOR VEHICLES

Model description	Article code
Mobile charger 12/24 VDC	C7P3A5



### CARRYING STRIP

Model description	Article code
Carrying strap for Powerluber	F8M4A8

## Lube Shuttle cartridges and adapter kit for Powerluber

### APPLICATIONS:

The adapter kit was developed to be able to combine even the most common grease cartridges with the Powerluber. The adapter kit is also suitable for all other manual grease guns.

### ADVANTAGES AT A GLANCE:

- Simple operation
- Grease designation on the cartridge is retained
- Easy change between greases even when cartridge is not empty
- The greasing processes are characterised by maximum cleanliness



### ADAPTER-KIT

consisting of: Tube and adapter ring

Connection	Article code
G 1"	X9J4A2 *

\*) not available in: Australia, Canada, France, Germany, Italy, Japan, Spain, Switzerland, UK and USA.



### LUBE SHUTTLE CARTRIDGES EMPTY WITHOUT PRINTING

content: 400 g  
consisting of: Cartridge, inserted grease piston and lid

Connection	Packaging unit	Article code
G 1"	10 Pcs.	R8V4A0

Further spare parts on request

For **orders or queries** please contact us at:

T: +43 6132 23 741 or [office@sslubac.com](mailto:office@sslubac.com)



**ss.LUBAC GmbH** | Sulzbacherstraße 16, A-4820 Bad Ischl

---

T: +43 6132 23 741 | [office@sslubac.com](mailto:office@sslubac.com) | [www.sslubac.com](http://www.sslubac.com)